



URSA TERRA Sol

Espesor 20 mm

Resistencia térmica 0,60 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	2,30E+00	9,86E-01	2,52E-01	7,68E-03	0,00E+00	2,88E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	1,51E-07	1,89E-09	2,66E-10	1,47E-11	0,00E+00	2,46E-10
Acidification Potential	Kg SO ₂ equiv.	1,34E-02	6,43E-03	7,88E-05	4,76E-05	0,00E+00	1,22E-04
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,74E-03	1,02E-03	4,74E-04	7,53E-06	0,00E+00	1,62E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,84E-02	6,63E-03	7,24E-05	5,18E-05	0,00E+00	1,10E-04
Photochemical Ozone Formation Potential	Kg ethane equiv.	1,03E-03	5,82E-04	7,57E-05	4,04E-06	0,00E+00	1,94E-05
Consumption of renewable primary energy	MJ (lower heating value)	3,29E+00	2,57E-02	7,73E-03	2,01E-04	0,00E+00	1,60E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	4,34E+01	1,39E+01	1,61E-01	1,08E-01	0,00E+00	2,37E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m3	2,04E-02	4,06E-04	1,36E-04	3,18E-06	0,00E+00	3,93E-04
Waste production:	Kg	3,80E+00	4,48E-02	3,67E-01	3,49E-04	0,00E+00	1,51E+00
· hazardous	Kg	1,33E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	3,78E+00	4,48E-02	3,67E-01	3,49E-04	0,00E+00	1,51E+00
· radioactive	Kg	1,97E-03	2,50E-05	4,68E-08	1,96E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,78E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,78E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00