



URSA TERRA Vento R

Espesor 60 mm

Resistencia térmica 1,55 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	2,22E+00	6,15E-01	1,58E-01	4,79E-03	0,00E+00	1,79E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	9,45E-08	1,18E-09	1,66E-10	9,19E-12	0,00E+00	1,53E-10
Acidification Potential	Kg SO ₂ equiv.	1,11E-02	4,01E-03	4,92E-05	2,97E-05	0,00E+00	7,64E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,10E-03	6,38E-04	2,96E-04	4,70E-06	0,00E+00	1,01E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,83E-02	4,14E-03	4,52E-05	3,23E-05	0,00E+00	6,84E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	8,22E-04	3,63E-04	4,73E-05	2,52E-06	0,00E+00	1,21E-05
Consumption of renewable primary energy	MJ (lower heating value)	3,68E+00	1,60E-02	4,82E-03	1,25E-04	0,00E+00	9,96E-03
Consumption of non-renewable primary energy	MJ (lower heating value)	4,33E+01	8,64E+00	1,00E-01	6,75E-02	0,00E+00	1,48E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	1,39E+00	2,53E-04	8,51E-05	1,99E-06	0,00E+00	2,45E-04
Waste production:	Kg	2,21E+00	2,79E-02	2,29E-01	2,18E-04	0,00E+00	9,41E-01
· hazardous	Kg	1,16E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	2,20E+00	2,79E-02	2,29E-01	2,18E-04	0,00E+00	9,41E-01
· radioactive	Kg	1,23E-03	1,56E-05	2,92E-08	1,22E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,11E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,11E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00