



URSA TERRA en ROLLO

Espesor 65 mm

Resistencia térmica 1,80 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	1,71E+00	7,23E-01	1,85E-01	5,64E-03	0,00E+00	2,11E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	1,11E-07	1,38E-09	1,95E-10	1,08E-11	0,00E+00	1,80E-10
Acidification Potential	Kg SO ₂ equiv.	9,94E-03	4,72E-03	5,78E-05	3,50E-05	0,00E+00	8,99E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,31E-03	7,51E-04	3,48E-04	5,53E-06	0,00E+00	1,19E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,32E-02	4,87E-03	5,32E-05	3,80E-05	0,00E+00	8,04E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	6,96E-04	4,27E-04	5,56E-05	2,96E-06	0,00E+00	1,43E-05
Consumption of renewable primary energy	MJ (lower heating value)	3,17E+00	1,89E-02	5,67E-03	1,47E-04	0,00E+00	1,17E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	3,13E+01	1,02E+01	1,18E-01	7,94E-02	0,00E+00	1,74E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m3	1,45E-02	2,98E-04	1,00E-04	2,34E-06	0,00E+00	2,88E-04
Waste production:	Kg	2,70E+00	3,29E-02	2,69E-01	2,56E-04	0,00E+00	1,11E+00
· hazardous	Kg	1,01E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	2,68E+00	3,29E-02	2,69E-01	2,56E-04	0,00E+00	1,11E+00
· radioactive	Kg	1,47E-03	1,84E-05	3,43E-08	1,44E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,35E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,35E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00